What is claimed is:

A film comprising IrMnN having a (200) texture.

2. The film of Claim 1, wherein the IrMnN comprises from about 2 to about 78 atomic percent Ir, and from about 16 to about 96 atomic percent Mn.

- . 3. The film of Claim 1, wherein the IrMnN comprises from about 14 to about 23 atomic percent Ir, and from about 69 to about 83 atomic percent Mn.
- 4. The film of Claim 1, wherein the IrMnN comprises from about 1 to about 20 atomic percent N.
- 5. The film of Claim 1, wherein the IrMnN comprises from about 2 to about 10 atomic percent N.
- 6. The film of Claim 1, wherein the film has thickness of from about 5 to about 20 nm.
 - 7. The film of Claim 1, wherein the film is an exchange biasing layer.
 - 8. The film of Claim 1, wherein the film is a seed layer.

A layered magnetic structure comprising:

an IrMnN layer; and

a ferromagnetic layer deposited on the IrMnN layer.

10. The layered magnetic structure of Claim 9, wherein the IrMnN layer

comprises a (200) texture.

- 11. The layered magnetic structure of Claim 9, wherein the IrMnN comprises from about 2 to about 78 atomic percent Ir, and from about 16 to about 96 atomic percent Mn.
- 12. The layered magnetic structure of Claim 9, wherein the IrMnN comprises from about 1 to about 20 atomic percent N.
- 13. The layered magnetic structure of Claim 9, wherein the film has thickness of from about 5 to about 20 nm.
- 14. The layered magnetic structure of Claim 9, wherein the structure comprises a plurality of the IrMnN layers.
- 15. The layered magnetic structure of Claim 9, wherein the structure comprises a plurality of the ferromagnetic layers.
- 16. The layered magnetic structure of Claim 9, wherein the structure comprises from 2 to 40 of the IrMnN layers, and from 2 to 40 of the ferromagnetic layers.

ij,

- 17. The layered magnetic structure of Claim 9, wherein the IrMnN layer is a seed layer for the ferromagnetic layer.
- 18. The layered magnetic structure of Claim 9, wherein the IrMnN and ferromagnetic layers are exchange coupled.
- The layered magnetic structure of Claim 9, wherein the IrMnN seed layer is deposited on a substrate.
- 20. A soft magnetic underlayer of a perpendicular magnetic recording media comprising the layered magnetic structure of Claim 9.
- 21. A spin valve sensor including a pinning layer comprising the layered magnetic structure of Claim 9.
- 22. A method of making an IrMnN film comprising depositing Ir and Mn on a substrate in the presence of a reactive nitrogen-containing atmosphere.
- 23. The method of Claim 22, wherein the reactive nitrogen-containing atmosphere comprises from about 1 to about 50 volume percent N₂.
- 24. The method of Claim 22, wherein the reactive nitrogen-containing atmosphere comprises from about 2 to about 20 volume percent N₂.
- 25. The method of Claim 23, wherein the nitrogen-containing atmosphere comprises from about 50 to about 99 volume percent of at least one inert gas.
 - 26. The method of Claim 25, wherein the inert gas comprises argon.
- 27. The method of Claim 22, wherein the nitrogen-containing atmosphere is at room temperature.
- 28. The method of Claim 22, wherein the IrMnN film is deposited by reactive sputtering.
- 29. The method of Claim 28, wherein the Ir and Mn are provided in elemental form.
 - 30. The method of Claim 28, wherein the Ir and Mn are provided as an alloy.
- The method of Claim 30, wherein the alloy comprises from about 2 to about 78 atomic percent Ir, and from about 16 to about 96 atomic percent Mn.
 - 32. The method of Claim 22, wherein the IrMnN film has a (200) texture.
- 33. A method of making an IrMnN film comprising depositing the IrMnN film on a substrate, wherein the IrMnN film has a (200) texture.

34. A method of making a layered magnetic structure comprising: providing an IrMnN layer; and depositing a ferromagnetic layer on the IrMnN layer.

- 35. The method of Claim 34, wherein the IrMnN has a (200) texture.
- 36. The method of Claim 34, wherein the IrMnN layer is a seed layer for the ferromagnetic layer.
- 37. The method of Claim 34, wherein the IrMnN and ferromagnetic layers are exchange coupled.